



FLOOR DECORS

300MMX300MM


VOL. 2



CFD 3030055


FLOOR
DECORS

300mm x 300mm



CFD 3030056


CERAM
FASH
STUD C[®]
ON
O



CFD 3030057


FLOOR
DECORS

300mm x 300mm



CFD 3030058


CERAMIC®
FASHION
STUDIO



CFD 3030059

FLOOR
DECORS

300mm x 300mm



CFD 3030060


CERAM
FASH
STUD C[®]
ON
O



CFD 3030061


FLOOR
DECORS

300mm x 300mm



CFD 3030062


CERAM
FASH
STUD C[®]
ON
O



CFD 3030063

FLOOR
DECORS

300mm x 300mm



CFD 3030064


CERAM FASHION
STUDIO



CFD 3030065

FLOOR
DECORS

300mm x 300mm



CFD 3030066

CERAMIC
FASHION
STUDIO



CFD 3030067

FLOOR
DECORS

300mm x 300mm



CFD 3030068

CERAM FASHION
STUDIO



CFD 3030069


FLOOR
DECORS

300mm x 300mm



CFD 3030070

CERAM
FASH
STUD C[®]
ON
O



CFD 3030071

FLOOR
DECORS

300mm x 300mm



CFD 3030072

CERAM FASHION
STUDIO



CFD 3030073

FLOOR
DECORS

300mm x 300mm



CFD 3030074

CERAM
FASH
STUD C[®]
ON
O



CFD 3030075

FLOOR
DECORS

300mm x 300mm



CFD 3030076

CERAM FASHION
STUDIO



CFD 3030077

FLOOR
DECORS

300mm x 300mm



CFD 3030078

CERAMFASHION
STUDIO



CFD 3030079


FLOOR
DECORS

300mm x 300mm



CFD 3030080

CERAM FASHION
STUDIO



CFD 3030081

FLOOR
DECORS

300mm x 300mm



CFD 3030082


CERAM FASHION
STUDIO



CFD 3030083

FLOOR
DECORS

300mm x 300mm



CFD 3030084

CERAMIC®
FASHION
STUDIO



CFD 3030085

FLOOR
DECORS

300mm x 300mm




CERAMFASHION
STUDIO



CFD 3030086


CERAMFASHION
STUDIO



CFD 3030087


FLOOR
DECORS

300mm x 300mm



CFD 3030088


CERAMIC
FASHION
STUDIO



CFD 3030089


FLOOR
DECORS

300mm x 300mm



CFD 3030090

CERAM FASHION
STUDIO



CFD 3030091

FLOOR
D E C O R S

300mm x 300mm

TECHNICAL SPECIFICATION

CHARATERISTICS		
DIMENSION & SURFACE QUALITY	VALUE	METHOD OF TESTING
Dimensions	± 0.3%	ISO 10545-2
Thickness	± 5.0%	ISO 10545-2
Straightness of side	± 0.5%	ISO 10545-2
Rectangularity	± 0.5%	ISO 10545-2
Surface Flatness	± 0.5%	ISO 10545-2
Color Resistance to Light	No change	DIN 51094
PHYSICAL PROPERTIES		
Water Absorption	< 3 %	ISO 10545-3
Flexural Strength (MOR)	> 31 N /mm ²	ISO 10545-4
Mohs Hardness	> 5	EN 101
Breaking Strength	> 1150 N	ISO 10545-4
Bulk Density	> 2.35 gm/cc	DN 51082
Coefficient of Friction	> 0.6	ISO 10545-17
Resistance of Surface Abraion	> PEI V	ISO 10545-6
CHEMICAL PROPERTIES		
Stain Resistance	Resistive	ISO 10545-14
Chemical Resistance	Resistive	ISO 10545-13
THERMAL PROPERTIES		
Thermal Shock Resistance	No Damage	ISO 10545-9
Thermal Expansion	> 9 x 10 ⁻⁶ K ⁻¹	ISO 10545-8
Moisture Expansion	Nil	ISO 10545-10
Frost Resistance	Frost Proof	ISO 10545-12

PACKING DETAILS

Dimensions in MM	Thickness	Pieces/Box	Area Coverage	Weight
300x300mm	9.3mm	10 pcs	0.9 sq. mtr.	18 kgs (Approx.)

DISCLAIMER: Ceramic Fashion Studio reserves the rights to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other techinal specifications or aesthetic appearance of product/s contained in this catalouge at any time without any prior notice. The colors shown of products in this catalouge are purely illustrative and limited to printing process.Please refer actual product before final selection. The detail of sizes and color references should be verified for typographical errors.

SHREE AMBICA DECOPRINTS PVT. LTD. 766, 772, Rakanpur, Sola Santej Road, Ta. Kalol-382 721. (North Gujarat). India.
Email: sales@ceramicfashionstudio.com | Ph: +91 2764 286961-2-3

